

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"5633473".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 10:22
L2	2	"4700602".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 10:23
L3	2	"20040118269"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 10:23
L4	234	(cymbal or drum\$1 or drumhead) with (pickup\$1 or sensor\$1 or transducer\$1) same (capacitative or capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 10:40
L5	513	(cymbal or drum\$1 or drumhead) same (pickup\$1 or sensor\$1 or transducer\$1) same (capacitative or capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 10:44
L6	57008	"84"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 10:41
L7	13	5 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 10:41
L8	3	(cymbal) same (pickup\$1 or sensor\$1 or transducer\$1) same (capacitative or capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 10:45

L9	35	(cymbal) same (pickup\$1 or sensor\$1 or transducer\$1) and (capacitative or capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 12:11
L10	50	(cymbal) same (capacitative or capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 10:49
L11	42	6 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 10:49
L12	1657	(string\$2 or guitar or banjo) same (pickup\$1 or sensor\$1 or transducer\$1) and (capacitative or capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 12:12
L13	35	(string\$2 or guitar or banjo) same (pickup\$1 or sensor\$1 or transducer\$1) and (capacitative)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 12:12
L14	20	(string\$2 or guitar or banjo) same (pickup\$1 or sensor\$1 or transducer\$1) same (capacitative)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 12:12
L15	12	6 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 12:52
L16	707	vacuum near3 tube with circuitry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 12:52

L17	15	12 and 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 13:27
L18	0	17 and capacitive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 13:28
L19	2	capacitive with (sens\$3 or pickup or pick adj up or transducer) and 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 13:32
L20	55	capacitive with (sens\$3 or pickup or pick adj up or transducer) and vacuum with tube	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 13:33
L21	4	6 and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 13:33
S2	45	((("3008367") or ("3439568") or ("3509264") or ("3551580") or ("3553339") or ("3659032") or ("3725561") or ("3748367") or ("3956959") or ("4201107") or ("4226156") or ("4279188") or ("4581972") or ("4679479") or ("4947725") or ("5042356") or ("5056408") or ("5105710"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 10:21
S3	2	acoustic with electronic with electric with percussion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:28
S4	54	acoustic with electronic with electric\$2 same (percussion or drum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:50

S5	2832	(84/723,725,600,726,679,743,730,1.51,402,104,629,706).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 13:49
S6	29	(percussion or drum or cymbal) and (vibrat\$3 same electric\$4 with charge\$3 with (attach\$4 or mount\$3 or connect\$3 or secure\$1) with (surface or portion or dum adj head\$1 or top))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 14:10
S7	306	(percussion or drum\$1 or cymbal\$2) and (vibrat\$3 same electric\$4 with (charge\$3 or impedance or resist\$4) same (attach\$4 or mount\$3 or connect\$3 or secure\$1 or position\$3 or plac\$3 or locat\$3 or install\$3) with (surface or portion or dum adj head\$1 or top))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 16:27
S8	47	S7 and (voltage with differen\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 14:43
S10	15	S5 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 14:44
S11	306	(percussion or drum\$1 or cymbal\$2) and (vibrat\$3 same electric\$4 with (charge\$3 or impedance or resist\$4) same (attach\$4 or mount\$3 or connect\$3 or secure\$1 or position\$3 or plac\$3 or locat\$3 or install\$3) with (surface or portion or dum adj head\$1 or top or skin))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 14:57
S12	22	"84"/\$.ccls. and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 14:57

S13	395	(percussion or drum\$1 or cymbal\$1) and vibrat\$3 with (pickup\$1 or sensor\$1 or transducer\$1) and (signal\$1 or output\$1) with (transform\$3 or chang\$3 or modify\$3 or adjust\$3 or reconstruct\$3 or adapt\$3 or alter\$3 or vary\$3 or modulat\$3) near4 (amplitude or frequency or spectral or characteristic\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 16:44
S14	372	(percussion or drum\$1 or cymbal\$1) and vibrat\$3 with (pickup\$1 or sensor\$1 or transducer\$1) and (signal\$1 or output\$1) with (transform\$3 or chang\$3 or modify\$3 or adjust\$3 or reconstruct\$3 or adapt\$3 or alter\$3 or vary\$3 or modulat\$3) near4 (amplitude or frequency or spectral or spectrum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 16:35
S15	71	"84"/\$.ccls. and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 16:58
S16	33	S15 and (dampen\$3 or damp\$3) with (acoustic\$3 or hole\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 16:42
S17	0	S15 and (dampen\$3 or damp\$3) with (hole\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 16:42
S18	1	S15 and (dampen\$3 or damp\$3 or reduc\$3 or minimiz\$3) with (hole\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 16:43
S19	10	S13 and (dampen\$3 or damp\$3 or reduc\$3 or minimiz\$3) with (hole\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 16:43

S20	5	(percussion or drum\$1) and vibrat\$3 with (pickup\$1 or sensor\$1 or transducer\$1) with (signal\$1 or output\$1) and (damp\$5 with holes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 16:47
S21	4	(percussion or drum\$1) and vibrat\$3 with (pickup\$1 or sensor\$1 or transducer\$1) with (signal\$1 or output\$1) and (damp\$5 with acoustically)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 10:39
S22	17	(percussion or drum\$1) and vibrat\$3 with (pickup\$1 or sensor\$1 or transducer\$1) and ((damp\$5 or reduc\$3 or minimiz\$3) with acoustically)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 16:55
S23	70	(percussion or drum\$1) and vibrat\$3 with (pickup\$1 or sensor\$1 or transducer\$1) and ((damp\$5 or reduc\$3 or minimiz\$3) near3 sound)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 16:55
S24	32	"84"/\$.ccls. and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 17:12
S25	3	housing with plurality with electric near3 (percussion adj instruments or drums)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 17:13
S26	9	plurality near3 electric near3 (percussion adj instruments or drums)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 17:14
S27	42	(plurality or multiple) near3 (electric or electronic) near3 (percussion adj instruments or drums)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 11:06

S28	1	housing with (plurality or multiple) near3 (electric or electronic) near3 (percussion adj instruments or drums)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 17:16
S29	1896	(computer adj keyboard) [ti]	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 14:07
S30	4	"3509264".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:34
S31	4	"2382413".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:37
S32	4	"3109878".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:40
S33	54439	(sens\$3 or pickup or pick adj up or transducer or signal near3 generat\$3) same (capacitative or capacitor) same (parallel or plate or gap\$3 or variable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 15:42
S34	57008	"84"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 15:42
S35	567	S33 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 15:43

S36	2	S35 and (air near4 gap\$3 with capacit\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 15:46
S37	28	S35 and (parallel with plate with capacit\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 16:20
S38	8	S37 and (percussion or drum or cymbal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 16:22
S39	4	S37 and (voltage with different\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 16:23